## ThinkVision T2054p 60G1MAT2EU

Region EMEA

Color

Raven Black (Bezel)

Panel

In-Plane Switching

Display Size 19.5"

View Area

418.6x262.4 mm

Resolution 1440x900

Aspect Ratio

16:10

Pixel Pitch

0.2915x0.2915 mm

Dot / Pixel Per Inch

87 dpi

Brightness 250 nits

Contrast Ratio

1000:1

Pixel Response Time

7 ms

Color Gamut

72%

View Angle (H / V)

178 / 178

Stand

Tilt, Swivel, Height Adjust Stand

Side Bezel Width

17 mm

Dimensions with Stand (HxWxD)

345.9x454.2x242.6 mm

Power Comsuption (Typical / Maximum)

14.5W / 21W

Power Adapter

Integrated

Weight (Including Stand)

8.16lb / 3.70kg

Warranty

3-year

ENERGY STAR

**ENERGY STAR 6.0** 

TCO

TCO 7.0

**EPEAT** 

Gold

Presets / User Settings

22 / 16

On Screen Display OSD, 8 Languages

USB Port None

Speaker None

Camera None

Multiple Input VGA, HDMI, DP

Monitor Cable VGA. DP

CPU / Platform None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Operating System

Support Windows 7, Windows 8, Windows 8, 1, Windows 10

Ann Date (mm/yy)

09/15

## Note:

\* Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "\*\*" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



## WWW.LENOVO.COM

This publication was developed for products and services oered in the United States and E.M.E.A countries. Lenovo may not oer the products, services or features discussed in this document in other countries. Lenovo may withdraw an oering at any time. Information is subject to change without notice. Consult your local representative for information on oerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



## http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2017. All rights reserved.

T2054p Wide Flat Panel Monitor Name Bezel color Raven black 60G1MAR2US / 60G1MAT2EU Type-model Panel TFT-LCD, In-Plane Switching (IPS),

White LED backlight Viewable image size

**19.5" (495mm)** diagonal 16.48" x 10.33" (418.6mm x 262.4mm) **1440x900** Max view area (W x H)

Native resolution Aspect ratio 16:10 Pixel pitch (mm) 0.2915 x 0.2915 mm Dot/Pixel per Inch 87 dpi

Brightness 250 nits or cd/m2 (typical) Contrast ratio

1000:1 (typical) Pixel response time 7ms (typical) Color gamut

Viewing angle at 10:1 CR 178° (+/- 89°) horizontal, 178° (+/- 89°) vertical Tilt, swivel, and height adjustable stand Stand

Bezel width Dimensions (HxWxD)

Sides: 0.67" (17.0mm) 13.62" H x 17.88" W x 9.55" D; 345.9mm H x 454.2mm W x 242.6mm D 14.5 watts typical, 21 watts maximum, <0.3 watts standby/suspend, universal, integrated (no external brick-like power supply) Power supply

8.16 lb; 3.70 kg

3 year (includes backlight) Weight

Limited warrantv4 Available date September 2015

VESA DDC2B/CI VESA-compliant<sup>2</sup> ENERGY STAR® qualified Power management Ergonomics ISO 9241-307 Emission standards FCC Class B

TCO Displays 7.0, TCO Certified Edge 2.0, WEEE, RoHS, EPEAT™ Gold rating Environmental

VGA: Preset resolutions 640x480, 720x400, 720x576

SVGA: 800x600 XGA:

1024x768, 1152x864 SXGA: 1280x800, 1280x1024

WXGA: 1366x768 WXGA+: 1440x900 Standard presets: 22

Presets / user settings user settings: 16

Tilt: 22° backward, -5° forward; lift: 4.3" (110mm); swivel: +/-45°; detachable stand

Viewing adjustments Rotating screen

tail.page?DocID=UM008281

On screen display On screen display with digital user controls (8 languages)

Direct access (buttons on front) for automatic image setup, dual input and brightness Control features

Multiple input Dual input (two different PCs attach to two different connectors; one PC shows image; select via button)

Monitor connectors

Signal cables

Dual input (two different PCs attach to two different connectors; one PC shows image; select via to (1) VGA 15-pin D-shell, analog, blue (2) HDMI (1.4), digital, HDCP-compliant (3) DisplayPort, digital, black, HDCP-compliant (1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DisplayPort at each end, digital, 1.8 meter Wall or desk mounting using the Extend Arm or third-party accessories, 100mm x 100mm mount Security keyhole for attachment of optional cable lock (Kensington® lock-compatible) Mounting features

Security

Ship group Monitor with stand, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DP signal cable,

1.8 meter black power cord

**Limited Warranty** See details at http://support.lenovo.com/en\_US/guides-and-manuals/deAccessories

Kensington MicroSaver Cable Lock 73P2582 Kensington Twin Head Cable Lock 45K1620

See details at www.lenovo.com/support/monitoraccessories

See all monitors at www.lenovo.com/thinkvision

 Supports ThinkCentre Tiny Clamp Bracket Includes dual input connection for attachment to two systems concurrently (analog and digital) Supports optional soundbar Microsoft® Windows® 7 certified
 Microsoft Windows 8 / Windows 8.1 certified

**Features** 

Microsoft Windows 10 certified

Widescreen 19.5-inch monitor

• Supports 1440x900 resolution

ÉPEAT Gold certified



ThinkVision T2054p Wide Monitor











