ThinkVision T22i 61A9MAT1EU

Region

EMEA

Color

Black

Panel

In-Plane Switching

Display Size

21.5"

View Area

476.1x267.8 mm

Resolution

1920x1080

Aspect Ratio

16:9

Pixel Pitch

0.248x0.248 mm

Dot / Pixel Per Inch

102 dpi

Brightness

250 nits

Contrast Ratio

1000:1

Pixel Response Time

6 ms

Color Gamut

72%

View Angle (H / V)

178 / 178

Stand

Tilt, Swivel, Pivot, Height Adjust Stand

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

357.6x489.7x251.9 mm

Power Comsuption (Typical / Maximum)

16.5W / 55W

Power Adapter

Integrated

Weight (Including Stand)

10.85lb / 4.92kg

Warranty

3-year

ENERGY STAR

ENERGY STAR 7.0

TCO

TCO 7.0

EPEAT

Gold

Presets / User Settings

HDMI:17 / DP:17

On Screen Display

OSD, 8 Languages

USB Port

USB 3.0x5

Speaker

None

Camera

None

Multiple Input

HDMI. DP. VGA

Monitor Cable

DP, VGA

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Operating System

Support Windows 7, Windows 10

Ann Date (mm/yy)

04/17

Note:

* Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



WWW.LENOVO.COM

This publication was developed for products and services oered in the United States and E.M.E.A countries. Lenovo may not oer the products, services or features discussed in this document in other countries. Lenovo may withdraw an oering at any time. Information is subject to change without notice. Consult your local representative for information on oerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2017. All rights reserved.

Preset resolutions

Presets display modes

Features

Supports ThinkCentre Tiny via VESA back mount

Includes dual input connection for attachment to two

Widescreen 21.5-inch monitor

· Supports optional soundbar

systems concurrently

EPEAT Gold certified

• Supports 1920x1080 resolution

• Microsoft® Windows® 7 certified

Microsoft Windows 10 certified

T22i Wide Flat Panel Monitor Name Bezel color **Black** 61A9MAR1US / 61A9MAT1EU Type-model Panel TFT-LCD, In-Plane Switching (IPS), White LED backlight **21.5"** (**546mm**) diagonal 18.74" x 10.54" (476.1mm x 267.8mm) **1920x1080** Viewable image size Max view area (W x H) Native resolution Aspect ratio 16:9 Pixel pitch (mm) 0.248 x 0.248 mm Dot/Pixel per Inch 102 dpi Brightness 250 nits or cd/m2 (typical) Contrast ratio 1000:1 (typical) 6ms (typical); 4ms (extreme mode) Pixel response time Color gamut 178° (+/- 89°) horizontal, 178° (+/- 89°) vertical Tilt, swivel, pivot, and height adjustable stand Sides: 0.08" (2.0mm)
14.08" H x 19.28" W x 9.92" D;
357.6mm H x 489.7mm W x 251.9mm D Viewing angle at 10:1 CR Stand Bezel width Dimensions (HxWxD) 16.5 watts typical, 55 watts maximum (with USB 3.0 hub), Power supply <0.5 watts standby/suspend, universal, integrated (no external brick-like power supply) 10.85 lb; 4.92 kg

3 year (includes backlight) Weight Limited warranty Available date April 2017 VESA DDC2B/CI VESA-compliant Power management ENERGY STAR® qualified ISO 9241-307 Ergonomics Emission standards FCC Class B TCO Displays 7.0, TCO Certified Edge 2.0, WEEE, RoHS, **EPEAT™ Gold rating** Environmental

VGA:

SVGA:

SXGA:

WXGA: WXGA+: WSXGA+:

Full HD:

HDMI: 17;

XGA:

ThinkVision T22i Wide Monitor

Tilt: 30° back, -5° forward; lift: 4.3" (110mm); swivel: +/-45°; detachable stand Viewing adjustments Screen pivots 90 degrees from landscape to portrait Rotating screen On screen display On screen display with digital user controls (8 languages) Direct access (buttons on front) for power, menu, input source select and brightness USB 3.0 Hub: 1 port into PC (USB 3.0); 4 ports for accessories (4 USB 3.0) Control features USB hub Multiple input Dual input (two different PCs attach to two different connectors; one PC shows image; select via button) Dual input (two different PCs attach to two different connectors; one PC shows image; select via b (1) VGA 15-pin D-shell, analog, blue (2) HDMI (1.4), digital, **HDCP-compliant** (3) DisplayPort, digital, black, **HDCP-compliant** (1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DisplayPort at each end, digital, 1.8 meter Wall or desk mounting using the Extend Arm or third-party accessories, 100mm x 100mm mount Security keyhole for attachment of optional cable lock (Kensington® lock-compatible) Monitor connectors Signal cables

Mounting features Security

640x350, 640x480, 720x400

1024x768, 1152x864

1280x768, 1366x768 1440x900, 1680x900

800x600

1280x1024

1680x1050 1920x1080

DP: 17

Monitor with stand, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DP signal cable, Ship group 1.8 meter USB signal cable, 1.8 meter black power cord

Limited Warranty	Accessories
See details at http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281	Kensington MicroSaver Cable Lock 73P2582 Kensington Twin Head Cable Lock 45K1620
	See details at www.lenovo.com/support/monitoraccessories
	See all monitors at www.lenovo.com/thinkvision











